

OWNER INFORMATION

Name _____

Address _____

Phone _____

Email _____

Land location _____

Premises ID _____

INFORMATION ABOUT THE SAMPLED GOATS

1. What **production group** did you submit fecal samples from? Please check all that apply.

- Adult does
- Bucks
- Doelings (last year's kids)
- Other: _____

2. What is the **predominant production type** of the sampled goats?

- Commercial meat production
- Commercial milk production
- Commercial fibre production
- Pure-bred meat breeding stock production
- Pure-bred milk breeding stock production
- Pure-bred fibre breeding stock production
- Non-commercial/own meat production
- Non-commercial/own milk production
- Non-commercial/own fiber production
- Pet goats
- Other: _____

3. What breed are the majority of the sampled goats?

- _____

4. When were the **sampled goats last dewormed**? Multiple lines available in case of submitting samples from multiple production groups. In case of deworming multiple individual goats at different times, please make a note in that regard under 'other' or use back of page to explain.
- _____ (day/month/year)
 - _____ (day/month/year)
 - Other: _____
5. What **deworming product, dose and route of administration** did you use to deworm the sampled goats at the last deworming?
- Product (brand name or drug name): _____
 - Dose: _____
 - Route of administration (e.g. drench, injection, pour-on): _____
6. What is the **predominant housing** situation of the sampled goats?
- Pasture
 - Dry lot/paddock
 - Combination of pasture and dry lot/paddock
 - Other: _____

HERD SIZE

7. How many of the following goats do you own?
- Adult does: _____
 - Bucks: _____
 - Doelings (last year's kids): _____
 - Other: _____

GENERAL HERD HEALTH

8. Do you treat your goats for **internal parasites** (roundworms; stomach worms, e.g. barber pole worm)?
- Yes, routinely (*at least* once per year)
 - Yes, occasionally (either empirically when I feel it's needed or based on clinical or laboratory evidence of a worm burden)
 - No, never
 - Other: _____
9. What is your **most important reason** for choosing to deworm?
- Regular and routine practice
 - Based on clinical symptoms suggestive of a parasite problem
 - Based on veterinary recommendation
 - Based on recommendations of other goat owners
 - To control external parasites
 - To control internal parasites
 - Other: _____

10. What is your most important source of information about goat internal parasite control?
- Veterinarian
 - Other producers
 - Product representative
 - Media (e.g. internet; industry-association publications)
 - Personal experience
 - Other: _____
11. If you routinely (at least once per year) treat your goats against **internal parasites** with a chemical deworming product (i.e. a drug) do you rotate your deworming product to treat internal parasites, i.e. if you dewormed with 'product A' this year, do you purposely choose a different 'product B' next year (or at the next treatment)?
- Yes
 - No
 - I do not routinely treat my goats against internal parasites
12. If you routinely (at least once per year) treat your goats against **internal parasites** with a chemical deworming product (i.e. a drug) what product(s) do you usually use?*
- Ivermectin (e.g. Ivomec[®], Noromectin[®])
 - Fenbendazole (e.g. Safeguard[®], Panacur[®])
 - Closantel (Flukiver[®] → requires veterinary prescription)
 - Moxidectin (e.g. Cydectin[®])
 - Albendazole (Valbazen[®])
 - Levamisole (Prohibit[®])
 - Other – please describe: _____
 - I do not routinely treat my goats against internal parasites
13. Do you regularly (at least once per year) use a non-chemical (e.g. 'natural') product to treat internal parasites in your goats? If yes, what product do you use?
- Yes; I use this product: _____
 - No, I do not use 'natural' products to treat internal parasites
14. If you regularly (at least once per year) treat your goats against **internal parasites** with a chemical product (i.e. a drug), how do you administer the dewormer/treatment **most of the time**?
- Drench (by mouth)
 - Pour-on
 - Injection
 - Other – please describe: _____
 - I do not regularly treat my goats against internal parasites

15. How do you determine the dose for deworming?

- Estimate** the weight of each individual animal and dose accordingly
- Weigh** each individual animal and dose accordingly
- Estimate weight of the average animal** and dose all to the weight of the average animal
- Weigh an average animal** and dose all to the weight of this average animal
- Estimate weight of the heaviest** animal and dose all to the weight of the heaviest animal
- Weigh the heaviest animal** in the group and dose all to the weight of the heaviest animal

16. If you regularly (at least once per year) treat your **adult** goats for internal parasites with a chemical deworming product (i.e. a drug), when do you *usually* (=more often than not) treat them?

- At or right around pasture turn-out
- At housing in the fall/after the first frost
- At or right around kidding
- At weaning
- About mid-grazing season
- Other – please describe: _____

17. Please let us know of any other comments or concerns or practices that you use in regards to internal parasites in your goats: _____
